## **Benadryl (diphenhydramine HCI) Dosage Chart**

Give the weight-appropriate dosage listed below every 6 hours as needed, or as recommended by your pediatrician.

Weight (pounds)	Elixir (12.5mg / 5ml)	FastMelt Chewable (12.5mg tablets)	Tablets/Capsules & Quick Dissolve Strips (25mg)
26-33	5 ml (1 tsp)	1 FastMelt	
33-39	6 ml	1 FastMelt	
40-45	7 ml (1 ½ tsp)	1 ½ FastMelt	
46-45	9 ml	1 ½ FastMelt	
53-58	10 ml (2 tsp)	2 FastMelt	1 tab/cap/strip
59-65	11 ml	2 FastMelt	1 tab/cap/strip
66-72	12 ml (2 ½ tsp)	2 1/2 FastMelt	1 ½ tab/cap/strips
73-80	14 ml	2 1/2 FastMelt	1 ½ tab/cap/strips
81-88	15 ml (3 tsp)	3 FastMelt	1 ½ tab/cap/strips
89-99	17 ml	3 FastMelt	2 tab/cap/strips
100-109	18 ml	4 FastMelt	2 tab/cap/strips
110+	20 ml (4 tsp)	4 FastMelt	2 tab/cap/strips

This is the maximum recommended safe dosage based on your child's weight. If the listed dosage makes your child too sleepy, you may need to decrease the amount of medicine given in each dose.